

Appendix F

Sensitivity Analysis

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

F.1 Public water supply sector climate change results by county

Table F.1: Effects of temperature increase on PWS by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.9	2.0	2.1	2.1	2.2	2.3	2.4	2.5	2.6
Champaign	26.0	27.6	29.3	30.8	31.7	33.2	34.5	35.8	37.2
DeWitt	1.4	1.5	1.6	1.6	1.7	1.8	1.9	1.9	2.0
Ford	1.8	1.9	2.0	2.1	2.1	2.2	2.3	2.4	2.5
Iroquois	2.5	2.6	2.7	2.9	2.9	3.1	3.2	3.4	3.5
Logan	3.4	3.5	3.7	3.8	3.9	4.0	4.2	4.3	4.4
Macon	25.4	26.3	27.5	28.6	29.7	30.8	32.1	33.3	34.6
Mason	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.0	1.0
McLean	16.7	18.0	19.4	20.6	21.6	22.7	24.0	25.3	26.7
Menard	0.8	0.9	0.9	1.0	1.0	1.0	1.1	1.1	1.2
Piatt	1.2	1.3	1.3	1.4	1.4	1.4	1.5	1.5	1.6
Sangamon	23.2	24.5	26.2	27.6	28.9	30.3	31.8	33.4	35.1
Tazewell	16.1	17.3	18.6	19.9	20.8	22.0	23.3	24.7	26.1
Vermilion	10.2	10.4	10.7	11.1	11.6	12.1	12.6	13.1	13.7
Woodford	2.1	2.3	2.4	2.6	2.7	2.9	3.1	3.2	3.4
Totals	133.4	140.8	149.2	156.9	163.2	170.9	178.8	187.0	195.6

Table F.2: Effects of precipitation increase only on PWS by county.

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.8	1.9	2.0	2.0	2.1	2.1	2.2	2.2	2.3
Champaign	25.5	26.6	28.0	29.0	29.6	30.6	31.4	32.3	33.2
DeWitt	1.4	1.4	1.5	1.5	1.6	1.6	1.7	1.7	1.8
Ford	1.8	1.8	1.9	1.9	2.0	2.0	2.1	2.2	2.2
Iroquois	2.4	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.3
Logan	3.4	3.4	3.5	3.6	3.6	3.7	3.8	3.9	3.9
Macon	25.0	25.3	26.2	27.0	27.7	28.5	29.3	30.1	30.9
Mason	0.8	0.8	0.9	0.9	0.9	0.9	0.9	0.9	0.9
McLean	16.4	17.3	18.4	19.4	20.1	20.9	21.8	22.8	23.7
Menard	0.8	0.8	0.9	0.9	0.9	1.0	1.0	1.0	1.0
Piatt	1.2	1.2	1.2	1.3	1.3	1.3	1.3	1.4	1.4
Sangamon	22.7	23.6	24.9	26.0	26.9	27.9	29.0	30.1	31.3
Tazewell	15.8	16.7	17.7	18.7	19.4	20.3	21.2	22.2	23.2
Vermilion	10.0	10.0	10.2	10.4	10.8	11.1	11.5	11.8	12.2
Woodford	2.1	2.2	2.3	2.5	2.5	2.7	2.8	2.9	3.0
Totals	130.9	135.7	142.2	147.8	152.1	157.5	163.0	168.6	174.4

Table F.3: Effects of precipitation decrease on PWS by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.9	2.0	2.0	2.1	2.2	2.2	2.3	2.3	2.4
Champaign	25.9	27.5	28.9	30.0	30.6	31.6	32.5	33.4	34.3
DeWitt	1.4	1.5	1.5	1.6	1.6	1.7	1.8	1.8	1.9
Ford	1.8	1.9	2.0	2.0	2.1	2.1	2.2	2.2	2.3
Iroquois	2.5	2.6	2.7	2.8	2.9	3.0	3.1	3.3	3.4
Logan	3.4	3.5	3.6	3.7	3.8	3.8	3.9	4.0	4.1
Macon	25.4	26.3	27.1	27.9	28.7	29.5	30.3	31.2	32.0
Mason	0.8	0.9	0.9	0.9	0.9	0.9	0.9	1.0	1.0
McLean	16.7	18.0	19.2	20.2	20.8	21.7	22.7	23.6	24.6
Menard	0.8	0.9	0.9	0.9	1.0	1.0	1.0	1.0	1.1
Piatt	1.2	1.3	1.3	1.3	1.3	1.4	1.4	1.4	1.5
Sangamon	23.2	24.6	25.9	27.0	28.0	29.0	30.2	31.3	32.6
Tazewell	16.1	17.3	18.4	19.4	20.1	21.1	22.0	23.0	24.1
Vermilion	10.2	10.4	10.5	10.8	11.2	11.5	11.9	12.3	12.6
Woodford	2.1	2.3	2.4	2.6	2.6	2.8	2.9	3.0	3.2
Totals	133.3	140.8	147.5	153.3	157.8	163.4	169.1	174.9	181.0

Table F.4: Effects of temperature increase and precipitation increase on PWS by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.9	1.9	2.0	2.1	2.2	2.3	2.3	2.4	2.5
Champaign	25.8	27.2	29.0	30.4	31.3	32.7	34.0	35.4	36.8
DeWitt	1.4	1.5	1.5	1.6	1.7	1.8	1.8	1.9	2.0
Ford	1.8	1.9	2.0	2.0	2.1	2.2	2.3	2.4	2.5
Iroquois	2.5	2.6	2.7	2.9	3.0	3.1	3.3	3.5	3.6
Logan	3.4	3.5	3.6	3.7	3.9	4.0	4.1	4.2	4.4
Macon	25.2	25.9	27.1	28.2	29.3	30.4	31.6	32.9	34.2
Mason	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.0	1.0
McLean	16.6	17.7	19.1	20.3	21.2	22.4	23.6	24.9	26.3
Menard	0.8	0.9	0.9	1.0	1.0	1.0	1.1	1.1	1.1
Piatt	1.2	1.2	1.3	1.3	1.4	1.4	1.5	1.5	1.6
Sangamon	23.0	24.2	25.8	27.2	28.4	29.9	31.4	32.9	34.6
Tazewell	16.0	17.1	18.4	19.6	20.5	21.7	23.0	24.3	25.7
Vermilion	10.1	10.2	10.5	10.9	11.4	11.9	12.4	13.0	13.5
Woodford	2.1	2.2	2.4	2.6	2.7	2.8	3.0	3.2	3.4
Totals	132.5	138.9	147.2	154.8	161.1	168.7	176.4	184.6	193.0

Table F.5: Effects of temperature increase and precipitation decrease on PWS by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.9	2.0	2.1	2.2	2.3	2.4	2.4	2.5	2.6
Champaign	26.2	28.1	29.9	31.4	32.4	33.9	35.2	36.6	38.0
DeWitt	1.4	1.5	1.6	1.7	1.7	1.8	1.9	2.0	2.1
Ford	1.8	1.9	2.0	2.1	2.2	2.3	2.4	2.5	2.6
Iroquois	2.5	2.7	2.8	3.0	3.1	3.3	3.4	3.6	3.7
Logan	3.5	3.6	3.8	3.9	4.0	4.1	4.2	4.4	4.5
Macon	25.7	26.9	28.1	29.2	30.3	31.5	32.8	34.0	35.4
Mason	0.8	0.9	0.9	0.9	1.0	1.0	1.0	1.0	1.1
McLean	16.9	18.4	19.8	21.1	22.1	23.3	24.5	25.9	27.3
Menard	0.8	0.9	0.9	1.0	1.0	1.1	1.1	1.1	1.2
Piatt	1.2	1.3	1.3	1.4	1.4	1.5	1.5	1.6	1.6
Sangamon	23.4	25.2	26.8	28.3	29.6	31.1	32.7	34.3	36.0
Tazewell	16.3	17.7	19.1	20.4	21.3	22.6	23.9	25.2	26.7
Vermilion	10.3	10.6	10.9	11.3	11.9	12.4	12.9	13.4	14.0
Woodford	2.1	2.3	2.5	2.7	2.8	3.0	3.1	3.3	3.5
Totals	134.9	144.1	152.7	160.6	167.1	175.0	183.0	191.5	200.3

F.2 Commercial and industrial sector climate change results by county

Table F.6: Effects of temperature increase on C&I by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.6	2.4	2.5	2.7	3.0	3.2	3.4	3.7	4.0
Champaign	6.8	7.4	8.1	8.8	9.5	10.3	11.1	12.0	12.9
DeWitt	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.04
Ford	4.6	5.0	5.4	5.9	6.4	6.9	7.5	8.2	8.8
Iroquois	1.4	1.4	1.4	1.5	1.5	1.5	1.5	1.5	1.6
Logan	1.0	2.3	2.5	2.6	2.8	2.9	3.1	3.3	3.5
Macon	17.4	19.3	21.6	24.0	26.4	28.9	31.6	34.2	36.9
Mason	3.7	5.4	5.9	6.4	7.0	7.7	8.4	9.1	9.9
McLean	0.5	1.8	1.9	1.9	2.0	2.1	2.2	2.3	2.4
Menard	0.003	0.003	0.004	0.004	0.004	0.005	0.005	0.01	0.01
Piatt	1.1	1.2	1.3	1.4	1.6	1.7	1.8	2.0	2.2
Sangamon	4.9	5.5	6.1	6.8	7.5	8.3	9.1	9.9	10.6
Tazewell	35.5	40.0	45.5	51.2	57.4	64.2	71.4	78.8	86.5
Vermilion	4.0	4.4	4.8	5.2	5.7	6.2	6.7	7.3	7.8
Woodford	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02
Totals	82.5	96.2	107.1	118.6	130.9	144.1	158.0	172.3	187.1

Table F.7: Effects of precipitation increase only on C&I by county.

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.5	2.2	2.3	2.4	2.6	2.7	2.8	2.9	3.1
Champaign	6.5	6.8	7.1	7.5	7.9	8.3	8.7	9.1	9.5
DeWitt	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03
Ford	4.3	4.4	4.7	4.9	5.2	5.5	5.8	6.1	6.4
Iroquois	1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.5
Logan	0.9	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8
Macon	15.9	16.8	18.2	19.5	20.8	22.0	23.3	24.6	25.7
Mason	3.4	4.9	5.2	5.5	5.8	6.2	6.5	6.9	7.3
McLean	0.5	1.7	1.8	1.8	1.9	1.9	2.0	2.0	2.1
Menard	0.003	0.003	0.003	0.003	0.003	0.003	0.004	0.004	0.004
Piatt	1.0	1.1	1.1	1.2	1.2	1.3	1.4	1.4	1.5
Sangamon	4.6	4.9	5.3	5.7	6.1	6.5	6.9	7.3	7.6
Tazewell	32.6	34.9	38.2	41.6	45.1	48.8	52.6	56.3	60.0
Vermilion	3.9	4.1	4.3	4.6	4.8	5.1	5.4	5.6	5.9
Woodford	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Totals	76.6	85.4	91.9	98.4	105.2	112.2	119.3	126.4	133.3

Table F.8: Effects of precipitation decrease on C&I by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.6	2.4	2.5	2.6	2.7	2.9	3.0	3.2	3.3
Champaign	6.7	7.2	7.6	8.0	8.5	8.9	9.3	9.8	10.2
DeWitt	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03
Ford	4.4	4.7	5.0	5.3	5.6	5.9	6.2	6.5	6.9
Iroquois	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.5	1.5
Logan	0.9	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9
Macon	16.6	18.3	19.8	21.2	22.6	24.0	25.4	26.8	28.0
Mason	3.5	5.2	5.5	5.9	6.2	6.6	7.0	7.4	7.9
McLean	0.4	1.7	1.8	1.8	1.9	1.9	2.0	2.1	2.1
Menard	0.003	0.003	0.003	0.003	0.004	0.004	0.004	0.004	0.004
Piatt	1.1	1.2	1.2	1.3	1.4	1.4	1.5	1.6	1.6
Sangamon	4.9	5.4	5.9	6.3	6.7	7.2	7.6	8.0	8.4
Tazewell	34.0	38.1	41.7	45.4	49.3	53.3	57.4	61.6	65.6
Vermilion	4.0	4.3	4.6	4.9	5.1	5.4	5.7	6.0	6.3
Woodford	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02
Totals	79.7	92.3	99.5	106.6	114.0	121.7	129.5	137.2	144.8

Table F.9: Effects of temperature increase and precipitation increase on C&I by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.5	2.3	2.5	2.7	2.9	3.1	3.3	3.6	3.9
Champaign	6.8	7.2	7.9	8.6	9.3	10.0	10.8	11.7	12.5
DeWitt	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.04
Ford	4.5	4.8	5.3	5.7	6.2	6.8	7.3	7.9	8.6
Iroquois	1.4	1.4	1.4	1.5	1.5	1.5	1.5	1.5	1.5
Logan	1.0	2.3	2.4	2.6	2.7	2.9	3.1	3.3	3.5
Macon	17.1	18.7	20.9	23.2	25.6	28.0	30.6	33.1	35.7
Mason	3.6	5.2	5.7	6.3	6.8	7.5	8.1	8.9	9.6
McLean	0.5	1.8	1.9	1.9	2.0	2.1	2.2	2.3	2.4
Menard	0.003	0.003	0.003	0.004	0.004	0.004	0.005	0.005	0.006
Piatt	1.1	1.2	1.3	1.4	1.5	1.6	1.8	1.9	2.1
Sangamon	4.8	5.3	5.9	6.6	7.3	8.0	8.7	9.5	10.3
Tazewell	34.9	38.7	44.0	49.5	55.6	62.1	69.0	76.2	83.6
Vermilion	4.0	4.3	4.7	5.1	5.6	6.0	6.6	7.1	7.6
Woodford	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02
Totals	81.2	93.3	103.9	115.0	126.9	139.6	153.1	167.0	181.3

Table F.10: Effects of temperature increase and precipitation decrease on C&I by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	1.6	2.5	2.7	2.9	3.1	3.3	3.6	3.9	4.2
Champaign	7.0	7.7	8.4	9.2	10.0	10.8	11.7	12.6	13.5
DeWitt	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.04	0.04
Ford	4.7	5.2	5.7	6.2	6.7	7.3	7.9	8.6	9.3
Iroquois	1.4	1.4	1.4	1.5	1.5	1.5	1.5	1.5	1.6
Logan	1.0	2.4	2.5	2.7	2.9	3.0	3.2	3.4	3.7
Macon	17.8	20.4	22.8	25.3	27.8	30.5	33.3	36.1	38.9
Mason	3.8	5.6	6.2	6.7	7.4	8.1	8.8	9.6	10.4
McLean	0.5	1.8	1.9	1.9	2.0	2.1	2.2	2.3	2.4
Menard	0.003	0.003	0.004	0.004	0.004	0.005	0.01	0.01	0.01
Piatt	1.1	1.3	1.4	1.5	1.7	1.8	1.9	2.1	2.3
Sangamon	5.0	5.8	6.5	7.3	8.0	8.8	9.6	10.5	11.3
Tazewell	36.4	42.3	48.0	54.1	60.7	67.8	75.4	83.3	91.4
Vermilion	4.1	4.6	5.0	5.5	6.0	6.5	7.0	7.6	8.2
Woodford	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Totals	84.6	101.0	112.6	124.7	137.7	151.7	166.4	181.6	197.2

F.3 Irrigation and agriculture sector climate change results by county

Table F.11: Effects of temperature increase on IR&AG by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	14.1	15.0	15.9	16.0	16.2	16.3	16.5	16.6	16.8
Champaign	5.1	5.3	5.6	5.8	6.1	6.2	6.4	6.5	6.5
DeWitt	0.8	0.8	0.9	0.9	0.9	1.0	1.0	1.0	1.0
Ford	0.8	0.8	0.8	0.9	0.9	0.9	0.9	1.0	1.0
Iroquois	2.7	2.9	3.0	3.1	3.2	3.3	3.4	3.4	3.4
Logan	1.5	1.5	1.5	1.6	1.6	1.7	1.7	1.7	1.7
Macon	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4
Mason	96.1	102.4	108.8	109.8	110.8	111.8	112.8	113.8	114.9
McLean	1.7	1.8	1.9	2.0	2.1	2.1	2.2	2.2	2.2
Menard	2.6	2.7	2.8	2.9	3.0	3.1	3.2	3.2	3.3
Piatt	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Sangamon	1.3	1.4	1.5	1.5	1.6	1.6	1.7	1.7	1.7
Tazewell	34.1	36.5	39.0	39.4	39.8	40.2	40.6	40.9	41.3
Vermilion	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.7	0.8
Woodford	1.2	1.2	1.3	1.3	1.4	1.4	1.4	1.4	1.4
Totals	163.1	173.7	184.4	186.8	189.1	191.3	193.3	195.2	196.9

Table F.12: Effects of precipitation increase only on IR&AG by county.

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	13.6	13.3	14.0	14.0	14.1	14.1	14.1	14.2	14.2
Champaign	4.4	4.2	4.4	4.6	4.7	4.8	4.9	4.9	4.9
DeWitt	0.8	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Ford	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.9	0.9
Iroquois	2.2	2.2	2.3	2.3	2.4	2.5	2.5	2.5	2.5
Logan	1.6	1.5	1.6	1.7	1.7	1.7	1.7	1.8	1.8
Macon	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Mason	89.0	86.6	91.4	91.6	91.9	92.1	92.4	92.6	92.8
McLean	1.6	1.6	1.7	1.7	1.8	1.8	1.9	1.9	1.9
Menard	2.2	2.1	2.2	2.3	2.3	2.4	2.4	2.4	2.4
Piatt	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Sangamon	1.3	1.3	1.3	1.4	1.4	1.5	1.5	1.5	1.5
Tazewell	28.8	28.3	30.1	30.2	30.3	30.4	30.5	30.6	30.7
Vermilion	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.7
Woodford	1.0	1.0	1.0	1.1	1.1	1.1	1.1	1.2	1.1
Totals	148.4	144.8	152.7	153.7	154.6	155.4	156.1	156.6	157.0

Table F.13: Effects of precipitation decrease on IR&AG by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	16.0	18.3	19.3	19.4	19.4	19.5	19.6	19.6	19.7
Champaign	5.3	6.2	6.4	6.7	6.8	7.0	7.1	7.2	7.2
DeWitt	0.9	1.0	1.0	1.1	1.1	1.1	1.1	1.1	1.1
Ford	0.9	1.0	1.0	1.0	1.1	1.1	1.1	1.1	1.1
Iroquois	2.6	3.0	3.1	3.2	3.3	3.3	3.4	3.4	3.4
Logan	1.8	2.0	2.1	2.2	2.2	2.3	2.3	2.3	2.3
Macon	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Mason	106.0	122.7	129.5	129.9	130.2	130.5	130.9	131.2	131.5
McLean	1.8	2.0	2.1	2.1	2.2	2.3	2.3	2.4	2.4
Menard	2.6	2.9	3.1	3.2	3.3	3.3	3.4	3.4	3.4
Piatt	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6
Sangamon	1.5	1.6	1.7	1.8	1.8	1.8	1.9	1.9	1.9
Tazewell	34.4	40.1	42.5	42.7	42.9	43.0	43.2	43.3	43.5
Vermilion	0.6	0.7	0.7	0.7	0.8	0.8	0.8	0.8	0.8
Woodford	1.1	1.3	1.3	1.4	1.4	1.4	1.4	1.4	1.4
Totals	176.2	203.6	214.8	216.2	217.4	218.5	219.4	220.2	220.8

Table F.14: Effects of temperature increase and precipitation increase on IR&AG by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	13.6	13.4	14.3	14.4	14.6	14.7	14.9	15.0	15.1
Champaign	4.4	4.3	4.5	4.7	4.9	5.0	5.2	5.3	5.3
DeWitt	0.7	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8
Ford	0.8	0.7	0.8	0.8	0.8	0.9	0.9	0.9	0.9
Iroquois	2.3	2.2	2.3	2.4	2.5	2.6	2.6	2.6	2.6
Logan	1.6	1.6	1.6	1.7	1.7	1.8	1.8	1.8	1.8
Macon	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Mason	89.6	88.0	93.6	94.5	95.5	96.5	97.5	98.5	99.4
McLean	1.6	1.6	1.7	1.8	1.8	1.9	1.9	2.0	2.0
Menard	2.2	2.1	2.2	2.3	2.4	2.5	2.5	2.6	2.6
Piatt	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5
Sangamon	1.3	1.3	1.4	1.4	1.5	1.5	1.5	1.6	1.6
Tazewell	29.1	28.7	30.8	31.1	31.5	31.8	32.2	32.5	32.9
Vermilion	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.7	0.7
Woodford	1.0	1.0	1.1	1.1	1.1	1.2	1.2	1.2	1.2
Totals	149.4	146.9	156.2	158.4	160.5	162.5	164.4	166.2	167.9

Table F.15: Effects of temperature increase and precipitation decrease on IR&AG by county (in MGD).

County	2010	2015	2020	2025	2030	2035	2040	2045	2050
Cass	16.0	18.5	19.6	19.8	20.0	20.1	20.3	20.4	20.6
Champaign	5.4	6.2	6.5	6.8	7.1	7.3	7.4	7.5	7.6
DeWitt	0.9	1.0	1.0	1.1	1.1	1.1	1.2	1.2	1.2
Ford	0.9	1.0	1.0	1.0	1.1	1.1	1.1	1.1	1.1
Iroquois	2.6	3.0	3.1	3.3	3.4	3.4	3.5	3.5	3.6
Logan	1.8	2.0	2.1	2.2	2.3	2.3	2.4	2.4	2.4
Macon	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Mason	106.7	124.1	131.7	132.8	133.8	134.9	136.0	137.1	138.2
McLean	1.8	2.0	2.1	2.2	2.3	2.3	2.4	2.4	2.4
Menard	2.6	3.0	3.1	3.2	3.4	3.4	3.5	3.6	3.6
Piatt	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6
Sangamon	1.5	1.6	1.7	1.8	1.8	1.9	1.9	2.0	2.0
Tazewell	34.6	40.5	43.3	43.7	44.1	44.5	44.9	45.2	45.6
Vermilion	0.6	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.9
Woodford	1.0	1.0	1.1	1.1	1.1	1.2	1.2	1.2	1.2
Totals	177.1	205.6	218.1	220.6	223.1	225.4	227.6	229.5	231.4

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK